



rudolfstorz<sup>®</sup>

Knochenheber | *Elevators*








**SMILIE**

	B – width	T – depth
<b>1-01-002-01</b>	19 mm	32 mm
<b>1-01-002-02</b>	19 mm	45 mm
<b>1-01-002-03</b>	19 mm	60 mm
<b>1-01-002-04</b>	13 mm	15 mm
<b>1-01-002-05</b>	13 mm	55 mm


Knie Wundhaken  
Knee retractor



**1-01-002-01**



**1-01-002-02**



**1-01-002-03**



**1-01-002-04**



**1-01-002-05**



**CHANDLER**

	B – width	Länge – length
<b>1-09-001-02</b>	13 mm	180 mm – 7"
<b>1-09-001-04</b>	19 mm	200 mm – 8"
<b>1-09-001-06</b>	25 mm	230 mm – 9"
<b>1-09-001-08</b>	32 mm	250 mm – 10"



BLOUNT

**1-09-004-01**

260 mm – 10¼"

38 mm breit  
38 mm wide



**1-09-004-03**

260 mm – 10¼"

42 mm breit  
42 mm wide



**1-09-004-05**

175 mm – 7"

16 mm breit, 47 mm tief  
16 mm wide, 47 mm depth



COBRA



**1-09-005-02**

260 mm – 10¼"

32 mm breit, stumpf glatt  
32 mm wide, blunt smooth



**1-09-005-04**

260 mm – 10¼"

32 mm breit, spitz glatt  
32 mm wide, pointed smooth



**1-09-005-06**

260 mm – 10¼"

32 mm breit, stumpf gerieft  
32 mm wide, blunt serrated



**1-09-005-08**

260 mm – 10¼"

32 mm breit, spitz gerieft  
32 mm wide, pointed serrated



**1-09-005-25**

266 mm – 10½"

44 mm breit, stumpf gerieft  
44 mm wide, blunt serrated



**1-09-005-20**

266 mm – 10½"

44 mm breit, spitz gerieft  
44 mm wide, pointed serrated



ALEXANDER FARABEU

**1-14-002-01**

209 mm – 8½"

B = 11 mm

Rippenraspatorium  
*Rasparatory*



SHOULDER

	B – width	T – depth
<b>2-09-065-02</b>	32 mm	81 mm



SHOULDER

	B – width	T – depth
<b>2-09-065-04</b>	38 mm	81 mm



FUKUDA

**2-09-067-06**

B = 32 mm

Retraktor, klein  
*Retractor, small*



**2-09-067-08**

B = 40 mm

Retraktor, groß  
*Retractor, large*



FUKUDA

**2-09-070-02**

B = 35 mm

Humerusretractor  
mit Riefen, klein  
*Humerusretractor  
with grooves, small*

**1-09-006-03**

140 mm – 5½"

B = 3 mm

**1-09-006-06**

150 mm – 6"

B = 5 mm

**1-09-006-12**

150 mm – 6"

B = 7 mm



HOHMANN MINI

**1-09-006-09**

160 mm – 6¼"

B = 6 mm

**1-09-006-15**

160 mm – 6¼"

B = 8 mm



**1-09-006-30**

160 mm – 6¼"

B = 15 mm



**1-09-006-33**

120 mm – 4¾"

B = 16 mm



**1-09-006-34**

150 mm – 6"

B = 15 mm



FOREARM

**1-09-006-21**

220 mm – 8½"

B = 8 mm



HOHMANN

**1-09-006-18**

240 mm – 9½"

B = 8 mm



HOHMANN

**1-09-006-24**

240 mm – 9½"

B = 10 mm

**1-09-006-31**

247 mm – 9¾"

B = 15 mm

HOHMANN

**1-09-006-36**

240 mm – 9½"

B = 18 mm

HOHMANN

**1-09-006-37**

240 mm – 9½"

B = 18 mm

HOHMANN


**1-09-006-38**

220 mm – 9½"

B = 18 mm

spitz  
pointed





HOHMANN

**1-09-006-39**

250 mm – 10"

B=22 mm

**1-09-006-40**

254 mm – 10"

B=22 mm

HOHMANN

**1-09-006-41**

290 mm – 11¼"

B=25 mm

HOHMANN

**1-09-006-48**

410 mm – 16"

B=22 mm

HOHMANN

**1-09-006-49**

295 mm – 11½"

B=22 mm



HOHMANN

**1-09-006-51**

280 mm – 11"

B = 24 mm



**1-09-006-52**

228 mm – 9"

B = 24 mm



HOHMANN

**1-09-006-54**

260 mm – 10¼"

B = 24 mm



HOHMANN-  
ALDINGER

**1-09-006-57**

280 mm – 11"

B = 24 mm



HOHMANN

**1-09-006-60**

240 mm – 9½"

B = 25 mm



HOHMANN

**1-09-006-63**

270 mm – 10½"

B=33 mm

**1-09-006-66**

330 mm – 13"

B=40 mm

**1-09-006-67**

286 mm – 11"

B=40 mm

**1-09-006-68**

290 mm – 11¼"


B=40 mm


HOHMANN

**1-09-006-69**

240 mm – 9½"

B=43 mm






MURPHY LANE

300 mm – 12"	A	B
<b>1-09-010-03</b>	18 mm	30 mm

Luxationsheber  
Elevator



TAYLOR

180 mm – 7"	B – width	T – depth
<b>1-09-012-05</b>	30 mm	75 mm
<b>1-09-012-07</b>	30 mm	100 mm
<b>1-09-012-11</b>	19 mm	75 mm
<b>1-09-012-13</b>	19 mm	100 mm



BRISTOW BANKERT

**1-09-014-01**

177 mm – 7"

B = 25 mm




BRISTOW BANKERT

**1-09-014-03**

200 mm – 8"

B = 21 mm




CREGO

**1-09-020-02**

200 mm

B = 7 mm

schwach gebogen  
*slightly curved*




CREGO

**1-09-020-04**

200 mm

B = 7 mm

stark gebogen  
*full curved*




CREGO

**1-09-022-02**

200 mm

B = 14 mm

schwach gebogen  
*slightly curved*



CREGO

**1-09-022-04**

200 mm

B = 14 mm

stark gebogen  
*full curved*



DARRACH

	B	Länge – Length
<b>1-09-040-12</b>	9.5 mm	254 mm – 10"
<b>1-09-040-14</b>	12 mm	254 mm – 10"
<b>1-09-040-16</b>	19 mm	254 mm – 10"
<b>1-09-040-18</b>	25 mm	355 mm – 14"

Kreuzgerieft  
*cross serrated*



COBB

280 mm – 11"	B
<b>1-09-050-03</b>	9.5 mm – 3/8"
<b>1-09-050-06</b>	12.8 mm – 1/2"
<b>1-09-050-09</b>	19 mm – 3/4"
<b>1-09-050-12</b>	25 mm – 1"
<b>1-09-050-15</b>	32 mm – 1 1/4"
<b>1-09-050-18</b>	38 mm – 1 1/2"

Stahlgriff, hohl  
Stainless steel handle, hollow



COBB

280 mm – 11"	B
<b>1-09-052-03</b>	9.5 mm – 3/8"
<b>1-09-052-06</b>	12.8 mm – 1/2"
<b>1-09-052-09</b>	19 mm – 3/4"
<b>1-09-052-12</b>	25 mm – 1"
<b>1-09-052-15</b>	32 mm – 1 1/4"
<b>1-09-052-18</b>	38 mm – 1 1/2"

Eloxierter Aluminiumgriff, massiv  
Anodized aluminium handle, massive



COBB

280 mm – 11"	B
<b>1-09-053-03</b>	9.5 mm – 3/8"
<b>1-09-053-06</b>	12.8 mm – 1/2"
<b>1-09-053-09</b>	19 mm – 3/4"
<b>1-09-053-12</b>	25 mm – 1"
<b>1-09-053-14</b>	32 mm – 1 1/4"

Sechskant-Griff, massiv  
Hexagonal handle, massive

